

KCS-L Price

Top hung frameless sliding system type of opening "accordion"



System characteristic



Material: Aluminum - glass Glass type: 10mm tempered

System type: Top hung

Profile color: Anodized - RAL Maximum panel width: 900 mm Maximum panel height: 3200 mm

Maximum system length: 9 m

Sliding frameless system Vizyon KCS L, folding type "accordion" Glass frameless sliding systems have long been very popular among developers and consumers. With the help of such structures, you can not only glaze a balcony or veranda, but also divide the room into zones. Top-hung models are especially appreciated. They are more functional and require less effort to install. One of the best novelties in this segment are the Vizyon KCS L and Vizyon KCS X systems. These sliding frameless glazing systems have an original design and a number of advantages that you will not find in any other similar model.

What Vizyon KCS L and Vizyon KCS X are intended for: Sliding frameless glazing of verandas, terraces, summer areas. Due to the lack of a protruding lower profile, such systems will not interfere with the passage of people. At the same time, they are very easy and simple to move apart, and turn your terrace or gazebo from closed to open. To create mobile partitions in offices, banks, various institutions. With the help of Vizyon KCS L and Vizyon KCS X systems, you can divide the premises into zones, create a conference room or workspace, organize several stores on one retail space. At the same time, the system can be moved at any time, creating a free passage between the zones of the room. Design features of the Vizyon KCS L system: The sashes in Vizyon KCS L are connected to each other by hinges and move with the help of reliable roller carriages along the upper carrier profile. There is no lower profile, which makes installation much easier, and the system itself is safe for people to pass through. Another feature of this variation of the frameless sliding system is the absence of a parking profile. In Vizyon KCS L, all rollers are placed in the middle of the sash. During the opening, the sashes are shifted by an accordion to the middle and placed there perpendicular to the opening.



Estimated cost in finished form (euro) without VAT:
Installation (about 10-15% from total order cost),
Delivery (depends on order quantity and distance)
Shipping from Poland

Height Length	2500	2700	3000
2500	2250	2294	2357
3000	2559	2607	2667
3500	3274	3331	3435
4000	3577	3655	3757
4500	3895	3974	4089
5000	4597	4690	4830
5500	4916	5008	5166
6000	5232	5319	5498
6500	5522	5651	5832
7000	6236	6374	6548
7500	6562	6675	6901
8000	6873	7010	7209