

VBS X,L Price

Frameless sliding system terrace type
with threshold X, without threshold L



Material: Aluminum - glass
Glass type: 8/10 mm tempered
Profile color: Anodized - RAL
Color of fittings and material: Black, gray plastic
Maximum panel width: 650 mm
Maximum panel height: 2700 mm

VBS Vizyon sliding frameless glazing system - features and benefits. Balconies, terraces and glazed gazebos without frames have already become one of the most popular design solutions. They not only look great and add the effect of transparency and lightness to the room, but are also very functional. All shutters of such a balcony can be moved to one side and enjoy the summer coolness. To obtain such an effect, it is only important to choose the right sliding glazing system without a built-in frame. One of the best in this segment is VBS Vizyon.

Areas of use of the system. For balconies and loggias of any shape. The system is very flexible and during its installation it is possible to perform various turns and create the necessary angles. For frameless sliding glazing of a veranda, gazebo or terrace. It is important to consider that the structure is equipped with a high bottom profile, so it should be installed in places without constant passage of people. For glazing patios, barbecue areas or summer verandas of cafes and restaurants. In this case, the design will add a special charm to them and help the establishment stand out from the competition. Principle of operation. The initial sash of the structure is always hinged. During its opening, all other sashes also gradually slide into its place and open. Thus, they are stacked at the edge of the system at right angles to the glazing line. Functional features of VBS Vizyon frameless sliding glazing. The design easily bypasses corners and can be installed in openings with turns. This allows you to mount the VBS Vizyon frameless glazing system even on the most original and complex balconies. In the parking lot, all sashes are fixed using a special movable stop of a modern design. Such a simple mechanism avoids the typical problems of such glazing systems and securely fixes the sashes in the parking lot. The profiles inside the structure are not symmetrical. This allows each roller to move freely without hitting the others. On request, the structural profiles can be easily painted to look like marble or wood. Also VBS Vizyon profiles can be supplied anodized. This option does not require painting, looks aesthetically pleasing and does not lend itself to corrosion and peeling. The system uses only special tempered glass with a thickness of 6 to 10 mm. It is suitable for installation at high altitude. There are high-quality plastic seals between the glasses. They freely transmit light and do not spoil the overall appearance of the structure.

| Height Length | 1500 | 1700 | 1900 | 2100 | 2300 | 2500 | 2700 | 2900 |
|---------------|------|------|------|------|------|------|------|------|
| 2000 | 972 | 1012 | 1053 | 1099 | 1138 | 1184 | 1270 | 972 |
| 2500 | 1124 | 1176 | 1226 | 1274 | 1327 | 1376 | 1474 | 1124 |
| 3000 | 1340 | 1396 | 1457 | 1513 | 1575 | 1632 | 1750 | 1340 |
| 3500 | 1554 | 1621 | 1684 | 1750 | 1820 | 1884 | 2017 | 1554 |
| 4000 | 1764 | 1845 | 1917 | 1988 | 2068 | 2142 | 2290 | 1764 |
| 4500 | 1919 | 2002 | 2085 | 2170 | 2254 | 2258 | 2500 | 1919 |
| 5000 | 2132 | 2226 | 2317 | 2411 | 2503 | 2589 | 2778 | 2132 |
| 5500 | 2345 | 2447 | 2548 | 2653 | 2754 | 2846 | 3053 | 2345 |
| 6000 | 2559 | 2670 | 2780 | 2892 | 2988 | 3105 | 3312 | 2559 |
| 6500 | 2713 | 2825 | 2953 | 3069 | 3184 | 3286 | 3521 | 2713 |
| 7000 | 2934 | 3058 | 3181 | 3305 | 3427 | 3560 | 3791 | 2934 |
| 7500 | 3144 | 3276 | 3408 | 3541 | 3672 | 3815 | 4063 | 3144 |
| 8000 | 3356 | 3494 | 3634 | 3777 | 3917 | 4070 | 4333 | 3356 |